

1,1-DIFLUOROETHANE

Page: 1

Compilation date: 22/05/2015

Revision date: 13/03/2018

Revision No: 2a

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: 1,1-DIFLUOROETHANE

REACH registered number(s): 01-2119474440-43

CAS number: 75-37-6
EINECS number: 200-866-1
Product code: R152A

Synonyms: REFRIGERANT R152A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: ES 1 - Formulsting, blending, repacking - Industrial use. ES 2 - Propellant - industrial use ES

4 - Propellant (including one component foam) - professional use Industrial and Professional

use.

1.3. Details of the supplier of the safety data sheet

Company name: National Refrigerants Ltd

4 Watling Close

Sketchley Meadows Business Park

Hinckley

Leicestershire LE10 3EZ

United Kingdom

Tel: 01455 630790

Fax: 01455 630791

Email: sds@nationalref.com

1.4. Emergency telephone number

Emergency tel: Carechem24 +44 (0)1865 407333

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Flam. Gas 1: H220; Press. Gas: H280

Most important adverse effects: Extremely flammable gas. Contains gas under pressure; may explode if heated.

2.2. Label elements

Label elements:

Hazard statements: H220: Extremely flammable gas.

H280: Contains gas under pressure; may explode if heated.

1,1-DIFLUOROETHANE

Page: 2

Hazard pictograms: GHS02: Flame

GHS04: Gas cylinder





Signal words: Danger

Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P377: Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381: Eliminate all ignition sources if safe to do so.

P403: Store in a well-ventilated place.

P410: Protect from sunlight.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: 1,1-DIFLUOROETHANE

CAS number: 75-37-6 **EINECS number:** 200-866-1

REACH registered number(s): 01-2119474440-43

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the

affected skin with running water for 10 minutes or longer if substance is still on skin. Do not

use hot water. If frostbite has occurred call a physician.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Injestion is unlikely because of the physical properties and is not expected to be hazardous.

As this product is a gas refer to inhalation section.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious,

ensure the casualty sits or lies down. If unconscious, check for breathing and apply artificial

respiration if necessary. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Frost-bite may occur

causing the affected area to become white and numb.

Eye contact: There may be severe pain. Corneal burns may occur. May cause permanent damage.

Ingestion: Ingestion is unlikely due to the physical properties of the product. As product is a gas refer to

inhalation section.

1,1-DIFLUOROETHANE

Page: 3

Inhalation: Inhalation may produce the following symptoms: Shortness of breath, dizziness, weakness,

nausea, headache, narcosis, irregular cardiac activity. Asphyxia.

Delayed / immediate effects: May cause cardiac arrhythmia.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Do Not give adrinaline or similar drugs.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Water spray. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. Vapour may travel considerable distance to source of ignition and flash

back. In combustion emits toxic fumes of hydrogen fluoride. In combustion emits toxic fumes

of carbon dioxide / carbon monoxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with

skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Evacuate the area immediately. Eliminate all sources of ignition. Ventilate the area, especialy

low or enclosed places where heavy vapours might collect.

6.2. Environmental precautions

Environmental precautions: Stop release if safe to do so. The product evaporates readily. Prevent from entering sewers,

basements and work pits, or any place where the accumulation can be dangerous.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Material evaporates. Ventilate the area, especially low or enclosed places where heavy

vapours might collect.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Ensure there is exhaust ventilation of the

area. Do not handle in a confined space. Earth any equipment used in handling. Use non-

sparking tools. Smoking is forbidden.

1,1-DIFLUOROETHANE

Page: 4

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container

tightly closed. Keep away from direct sunlight. Store at a temperature not exceeding 45°C.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): ES1 - Fromulation, blending, repacking - Industrial use. ES2 - Propellant - Industrial Use. ES5

- Propellant/One component foam - Consumer use.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	1000 PPM	-	-	-

DNEL/PNEC Values

1,1-DIFLUOROETHANE

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	2713 mg/m3	Workers	Systemic
PNEC	Fresh water	0.048mg/l	-	-
PNEC	Marine water	0.0048 mg/l	-	-
PNEC	Fresh water sediments	0.19 mg/l	-	-
PNEC	Marine sediments	0.019 mg/l	-	-
PNEC	Soil (agricultural)	0.141 mg/l	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure there is exhaust ventilation of the

area. Ensure lighting and electrical equipment are not a source of ignition. Ensure all

engineering measures mentioned in section 7 of SDS are in place.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Vapours are

heavier than air and can cause suffocation by reducing the oxygen available for breathing.

Hand protection: Protective gloves.

Eye protection: Safety glasses with side-shields. Safety goggles. Face-shield. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: Gas escapes to be kept to the minimum by engineering processes and operating methods.

Section 9: Physical and chemical properties

1,1-DIFLUOROETHANE

Page: 5

9.1. Information on basic physical and chemical properties

State: Liquified gas

Colour: Colourless

Odour: Characteristic odour

Evaporation rate: No data available.

Oxidising: Not applicable.

Solubility in water: 3.2 g/l at 21 deg.C and 1013 hPa

Also soluble in: Most organic solvents.

Boiling point/range°C: -25 Melting point/range°C: -117

Flammability limits %: lower: 4 upper: 20.2

Flash point°C: No data available. Part.coeff. n-octanol/water: Pow 1.13 at 21oC

Autoflammability°C: 440 Vapour pressure: 5.1 Bar at 20oC

Relative density: 2.3 (Air=1) **pH:** Not applicable.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Can form potential explosive atmosphere in air. May react violently with oxidants.

10.4. Conditions to avoid

Conditions to avoid: Heat. Flames. Hot surfaces. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Alkali metals. Alkali earth metals. Finely powdered metals. Oxidising agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of hydrogen fluoride. In combustion emits toxic fumes of

carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

1,1-DIFLUOROETHANE

Page: 6

Toxicity values:

Route	Species	Test	Value	Units
GASES	RAT	4H LC50	437500	ppmV

Symptoms / routes of exposure

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Frost-bite may occur

causing the affected area to become white and numb.

Eye contact: There may be severe pain. Corneal burns may occur. May cause permanent damage.

Ingestion: Ingestion is unlikely due to the physical properties of the product. As product is a gas refer to

inhalation section.

Inhalation: Inhalation may produce the following symptoms: Shortness of breath, dizziness, weakness,

nausea, headache, narcosis, irregular cardiac activity. Asphyxia.

Delayed / immediate effects: May cause cardiac arrhythmia.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
FISH	96H LC50	295783	mg/l
Daphnia magna	48H EC50	146695	-

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Organic carbon - water partitioning coefficient: Koc: 4.47

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Ozone Depletion Potential (ODP): 0 (R11 = 1) R152a Global Warming Potential (GWP): 124

(CO2=1) Contains fluoronated greenhouse gases covered by the Kyoto Protocol.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Product evaporates.

Recovery operations: Consult manufacturer or supplier for information regarding recovery and recycling of the

product. If recovery is not possible, incinerate at a licenced instalation.

1,1-DIFLUOROETHANE

Page: 7

Waste code number: 14 06 01

Disposal of packaging: Return to supplier.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1030

14.2. UN proper shipping name

Shipping name: 1,1-DIFLUOROETHANE (R 152A)

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

Tunnel code: B/D **Transport category:** 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Contains fluorinated greenhouse gases covered by the Kyoto Protocol.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has been carried out for the substance or the mixture by the

supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H220: Extremely flammable gas.

H280: Contains gas under pressure; may explode if heated.

Legal disclaimer: National Refrigerants Ltd believes that the information and recommendations contained

herein (including data and statments) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE

1,1-DIFLUOROETHANE

Page: 8

INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated. National Refrigerants expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.