

Section 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier****Product name:** REFRIGERANT R508B**REACH registered number(s):** MIXTURE**Product code:** R508B**Synonyms:** * FREON 95
SUVA 95**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of substance / mixture:** * PC16: Heat transfer fluids. Refrigerant**1.3. Details of the supplier of the safety data sheet****Company name:** National Refrigerants Ltd
4 Watling Close
Sketchley Meadows Business Park
Hinckley
Leicestershire
LE10 3EZ
United Kingdom
Tel: 01455 630790
Fax: 01455 630791
Email: sds@nationalref.com**1.4. Emergency telephone number****Emergency tel:** Carechem24 +44 (0)1865 407333**Section 2: Hazards identification****2.1. Classification of the substance or mixture****Classification under CLP:** Press. Gas: H280**Most important adverse effects:** Contains gas under pressure; may explode if heated.**2.2. Label elements****Label elements:****Hazard statements:** H280: Contains gas under pressure; may explode if heated.**Hazard pictograms:** GHS04: Gas cylinder

SAFETY DATA SHEET

REFRIGERANT R508B

Page: 2

Signal words: Warning

Precautionary statements: P410+403: Protect from sunlight. Store in a well-ventilated place.

2.3. Other hazards

Other hazards: * Vapours are heavier than air and can cause suffocation by reducing available oxygen for breathing.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

HEXAFLUOROETHANE - REACH registered number(s): 01-2119974606

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-939-8	76-16-4	Substance with a Community workplace exposure limit.	Press. Gas: H280	50-70%

REFRIGERANT R32 - REACH registered number(s): 01-2119471312-47

200-839-4	75-10-5	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280; -: EUH044	30-50%
-----------	---------	--	--	--------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Do not use hot water. If frostbite has occurred call a physician.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: * Ingestion is unlikely due to its physical properties and is not expected to be dangerous.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious, check for breathing and apply artificial respiration if necessary. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Frost-bite may occur causing the affected area to become white and numb.

Eye contact: There may be severe pain. Corneal burns may occur. May cause permanent damage.

Ingestion: * Ingestion is unlikely due to the physical properties of the product. As product is a gas refer to inhalation section.

Inhalation: Inhalation may produce the following symptoms: Shortness of breath, dizziness, weakness, nausea, headache, narcosis, irregular cardiac activity. asphyxia May cause cardiac arrhythmia.

Delayed / immediate effects: May cause cardiac arrhythmia.

[cont...]

SAFETY DATA SHEET

REFRIGERANT R508B

Page: 3

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes. Non flammable gas.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: * Refer to section 8 of SDS for personal protection details. If outside keep bystanders upwind and away from danger point. Ventilate the area, especially low or enclosed places where heavy vapours might collect. Vapours heavier than air and can cause suffocation by reducing oxygen available for breathing. For large escapes notify police and fire brigade.

6.2. Environmental precautions

Environmental precautions: Stop release if safe to do so. Prevent from entering sewers, basements and work pits, or any place where the accumulation can be dangerous.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Material evaporates. Ventilate the area, especially low or enclosed places where heavy vapours might collect.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Store at a temperature not exceeding 45°C.

Suitable packaging: Must only be kept in original packaging.

[cont...]

SAFETY DATA SHEET

REFRIGERANT R508B

Page: 4

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

HEXAFLUOROETHANE

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1000 ppm	-	-	-

REFRIGERANT R32

UK	1000 ppm	-	-	-
----	----------	---	---	---

DNEL/PNEC Values

Hazardous ingredients:

REFRIGERANT R32

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (developmental tox)	13936 mg/m ³	Workers	Systemic
DNEL	Inhalation (developmental tox)	2476 mg/m ³	Consumers	Systemic
PNEC	Fresh water	0.142 mg/l	-	-
PNEC	Fresh water sediments	0.534 mg/kg	-	-

8.2. Exposure controls

Engineering measures: * Ensure there is sufficient ventilation of the area. Ensure all engineering measures mentioned in section 7 of SDS are in place.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Vapours are heavier than air and can cause suffocation by reducing the oxygen available for breathing.

Hand protection: Protective gloves.

Eye protection: Safety glasses with side-shields. Safety goggles. Face-shield. Safety glasses.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquified gas

Colour: Colourless

Odour: Characteristic odour

Solubility in water: Insoluble

Also soluble in: Most organic solvents.

[cont...]

SAFETY DATA SHEET

REFRIGERANT R508B

Page: 5

Boiling point/range°C: -88.3 oC at 1.013 hP

Relative density: Vapour: 3.35 (Air=1)

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

HEXAFLUOROETHANE

GASES	RAT	4H LC50	800000	ppmV
-------	-----	---------	--------	------

REFRIGERANT R32

GASES	RAT	LD50	520000	ppmV
-------	-----	------	--------	------

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Frost-bite may occur causing the affected area to become white and numb.

Eye contact: There may be severe pain. Corneal burns may occur. May cause permanent damage.

Ingestion: * Ingestion is unlikely due to the physical properties of the product. As product is a gas refer to inhalation section.

Inhalation: Inhalation may produce the following symptoms: Shortness of breath, dizziness, weakness, nausea, headache, narcosis, irregular cardiac activity. asphyxia May cause cardiac arrhythmia.

[cont...]

SAFETY DATA SHEET

REFRIGERANT R508B

Page: 6

Delayed / immediate effects: May cause cardiac arrhythmia.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

REFRIGERANT R32

ALGAE	96H ErC50	142	mg/l
Daphnia magna	48H EC50	652	mg/l
FISH	96H LC50	1.057	mg/l

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Ozone Depletion Potential (ODP): 0 (R11 = 1) Contains fluoronated greenhouse gases covered by the Kyoto Protocol.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Product evaporates.

Recovery operations: Consult manufacturer or supplier for information regarding recovery and recycling of the product. If recovery is not possible, incinerate at a licensed installation.

Waste code number: 14 06 01

Disposal of packaging: Return to supplier.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1078

14.2. UN proper shipping name

Shipping name: REFRIGERANT GAS, N.O.S.

[cont...]

SAFETY DATA SHEET

REFRIGERANT R508B

Page: 7

(HEXAFLUOROETHANE; DIFLUOROMETHANE)

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: C/E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Contains fluorinated greenhouse gases covered by the Kyoto Protocol. Regulation 842/2006/EC of the European Parliament and Council on certain fluorinated gasses.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH044: Risk of explosion if heated under confinement.

H220: Extremely flammable gas.

H280: Contains gas under pressure; may explode if heated.

Legal disclaimer: * The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.